



Spare parts

MTB / E-MTB / TOOLS
2025

FULCRUM®

2025 SPARE PARTS & TOOLS

ROAD - RIM BRAKE

WIND 40 / 400	6
RACING ZERO	8
RACING 3	10
RACING 4 / 400	12
RACING 5 / 500	14
RACING 6 / 600	16
RACING 900	18
SPEED 360T	20
VALVE EXTENSIONS	21

ROAD - DISC BRAKE

SPEED 25+	22
SPEED 57	24
SPEED 42	26
SPEED 25	28
SHARQ	30
WIND 57	32
WIND 42	34
RACING ZERO CMPTZN DB	36
RACING ZERO DB	38

2025 SPARE PARTS & TOOLS


ROAD - DISC BRAKE		
	RACING 3 DB	40
	AIRBEAT 550 DB	42
	AIRBEAT 400 DB	44
	RACING 4 / 400 DB	46
	RACING 5 / 500 DB	48
	RACING 6 / 600 DB	50
	RACING 800 DB	52
	RACING 900B DB	54
	RACING 900 DB	56
	LITE ER	58
	LITE ER (E-ROAD / E-GRAVEL)	60
	SPEED 360 DB	62
GRAVEL		
	RAPID RED CARBON	64
	RAPID RED 3/300 650b	66
	RAPID RED 3/300 700c	68

2025 SPARE PARTS & TOOLS

GRAVEL		
	RAPID RED 500 700c (Ø33 mm FW body)	70
	RAPID RED 900 650b	72
	RAPID RED 900 700c	74
E-ROAD - DISC BRAKE		
	E-RACING 4 / 400	76
	E-RACING 900	78
	LITE ER EBM X20	80
	LITE ER EBM X30	82
FW BODIES - ROAD / GRAVEL		84
N3W KIT RETROFIT		90
FW BODIES - E-ROAD / E-GRAVEL		91

RED ZONE CARBON+

RIMS & SPOKES / CERCHI E RAGGI

RIM		
	FRONT / REAR RIM LABEL KIT VALVE HOLE BUSHING VALVE DIAMETER	RZCP-FR24 (with labels) RZCP-LAB24 (front + rear) RWX-014 (5 pcs) M1-044 622 x 28TC (ISO 5775-2)
SPOKES		
COMPLETE FRONT / REAR SPOKE L. 294,5 NIPPLES	RZC-016 50-RZ3-ABSL	4 spokes + 4 nipples 50 pcs.

AFS front: BOOST: HH15-110 rear: BOOST: HH12-148

RED ZONE CARBON+

HUBS / MOZZI

R0-024 (4 pcs)

RS-020 (2 pcs, ceramic)

RS-020 (2 pcs, ceramic)

R0-024 (4 pcs)

RZ3-002

R0-025 (4 pcs)

4-R1-008

4-R1-008

R0-025 (4 pcs)

RN9-002

RZ3-001

RP9-119

(B) 4-R1-006

(A) 4-R1-005

(C) 4-R1-008

(C) 4-R1-008

(A) 4-R1-005

(B) 4-R1-006

R1-004

(D) 4-RS-111 (4 pcs, ceramic)

(D) 4-RS-111 (4 pcs, ceramic)

RR3-003

R3DB-002 (3 pcs)

RZ3-003

RS-150
USB KIT
2 x A
2 x B
2 x C
2 x D

Complete FW body / Corpetti RL completi

R0-201R (HG 9/12) + RS-400 (5 pcs) – R0-127R (MICRO SPLINE 12) – R0-202R (XDR) + RS-004 (5 pcs) = XD

See exploded view pag. 112


94

95

RED ZONE CARBON

RIMS & SPOKES / CERCHI E RAGGI

RIM

	FRONT / REAR RIM LABEL KIT VALVE HOLE BUSHING VALVE DIAMETER	RZC-F22 (with labels) RZC-R22 (with labels) RWX-014 (5 pcs) M1-044 623 x 28TSS (ISO 5775-2)
---	--	---

SPOKES

COMPLETE FRONT SPOKE L. 294,5 COMPLETE REAR SPOKE L. 300 NIPPLES	RZC-016 RZC-017 50-RZ3-ABSL	4 spokes + 4 nipples 4 spokes + 4 nipples 50 pcs.
--	-----------------------------------	---

AFS

front: BOOST: HH15-110

rear: BOOST: HH12-148


RED ZONE CARBON

HUBS / MOZZI

AFS

front: BOOST: HH15-110


rear: BOOST: HH12-148



Complete FW body / Corpetti RL completi	R0-201 (HG 9/12) + RS-004 (5 pcs) – R0-127 (MICRO SPLINE 12) – R0-202 (XDR) + RS-004 (5 pcs) = XD	See exploded view pag. 112
---	---	----------------------------

RED ZONE 3 / 300

RIMS & SPOKES / CERCHI E RAGGI



RIM		FRONT RIM REAR RIM LABELS VALVE 2WF-READY-TAPE DIAMETER	RZ3-F22 (with labels to apply) RZ3-R22 (with labels to apply) RZ3-LAB22 (front + rear) M1-044 RR-007 (L = 5 m – W = 28 mm) 29 2WF-Ready

SPOKES	COMPLETE FRONT SPOKE L. 300,5 COMPLETE REAR SPOKE L. 305 NIPPLES	RZ3-016 RZ3-017 50-RZ3-ABSL	4 spokes + 4 nipples 4 spokes + 4 nipples 50 pcs.

AFS front: BOOST: HH15-110 rear: BOOST: HH12-148


RED ZONE 3 / 300

HUBS / MOZZI

	RN9-100 HUB KIT 2 x C 2 x D 2 x E 2 x F
	RS-100 HUB KIT 2 x R1-005 2 x R1-006 2 x R1-008 2 x R1-007
Complete FW body / Corpetti RL completi	
R0-201 (HG 9/12) + RS-004 (5 pcs) – R0-127 (MICRO SPLINE 12) – R0-202 (XDR) + RS-004 (5 pcs) = XD	
See exploded view pag. 112	

RED ZONE 5 / 500



RIMS & SPOKES / CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE 2WF-READY TAPE VALVE + ADAPTER DIAMETER	RZ500-LAB23 (Red Zone 500 FRONT+REAR) - RZ5-LAB23 (Red Zone 5 FRONT+REAR) 6,5 mm RR-009 (5m x 31mm) SP-2WFR 29" 2WF-Ready
SPOKES		
SPOKES L. 308 (front RH/rear LH) SPOKES L. 307 (front LH/rear RH) NIPPLES	RZ5-DS405 RZ5-DS403 50-R9EBM-BBDS	8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs.

AFS front: BOOST: HH15-110 rear: BOOST: HH12-148


RED ZONE 5 / 500

HUBS / MOZZI

		
		
Complete FW body / Corpetti RL completi	R0-201 (HG 9/12) + RS-004 (5 pcs) – R0-127 (MICRO SPLINE 12) – R0-202 (XDR) + RS-004 (5 pcs) = XD	See exploded view pag. 112

METAL CARBON



RIMS & SPOKES / CERCHI E RAGGI

RIM		
	FRONT RIM REAR RIM LABELS VALVE DIAMETER	MCARB-F01 (with labels) MCARB-R01 (with labels) MCARB-LAB25 (front + rear) M1-144 622 x TSS32
SPOKES		
FRONT L. 296 COMPLETE REAR SPOKE L. 305 NIPPLES	MCARB-01 MCARB-02 50-RZ3-ABSL	4 spokes + 4 nipples 4 spokes + 4 nipples 50 pcs.

AFS front: BOOST: HH15-110 rear: BOOST: HH12-148


METAL CARBON

HUBS / MOZZI

		
RN9-100 HUB KIT 2 x C 2 x D 2 x E 2 x F		
		
RS-100 HUB KIT 2 x R1-005 2 x R1-006 2 x R1-008 2 x R1-007		
Complete FW body / Corpetti RL completi	R0-201 (HG 9/12) + RS-004 (5 pcs) – R0-127 (MICRO SPLINE 12) – R0-202 (XDR) + RS-004 (5 pcs) = XD	See exploded view pag. 112

METAL CARBON (E-MTB LIGHT)

RIMS & SPOKES / CERCHI E RAGGI

RIM		FRONT RIM REAR RIM LABELS VALVE DIAMETER	MCARB-F01 (with labels) MCARB-R01 (with labels) MCARB-LAB25 (front + rear) M1-144 622 x TSS32

SPOKES	FRONT L. 296 COMPLETE REAR SPOKE L. 305 NIPPLES	MCARB-01 MCARB-02 50-RZ3-ABSL	4 spokes + 4 nipples 4 spokes + 4 nipples 50 pcs.

AFS front: BOOST: HH15-110 rear: BOOST: HH12-148

METAL CARBON (E-MTB LIGHT)

HUBS / MOZZI

R0-024 (4 pcs) (D) 4-R3DB-004 (E) R0-025 (4 pcs) (C) 4-R1-008 (F) RZ3-001 4-R1-008 (F) 4-R3DB-004 (E) R0-024 (4 pcs) (D) RZ3-002 RN9-002

RN9-100 HUB KIT

2 x C
2 x D
2 x E
2 x F

RP9-119 4-R1-006 (4 pcs) 4-R1-005 (4 pcs) 4-R1-008 (4 pcs) 4-R1-008 (4 pcs) 4-R1-005 (4 pcs) 4-R1-006 (4 pcs) R1-004 4-R1-007 (4 pcs) 4-R1-007 (4 pcs) R3DB-002 (3 pcs) RZ3-003 RMIC-001 RMIC-002 (10,45 mm) (MICRO SPLINE ONLY) RR3-003

RS-100 HUB KIT

2 x R1-005
2 x R1-006
2 x R1-008
2 x R1-007

Complete FW body / Corpetti RL completi


R0-201S + RS-004 (HG 9/12) – R0-124 (MICRO SPLINE 12) – R0-202S + RS-004 = XD

See exploded view pag. 112

METAL ALX

RIMS & SPOKES / CERCHI E RAGGI

RIM

	FRONT RIM REAR RIM LABELS VALVE 2WF-READY TAPE DIAMETER	MALX-F01 (with labels) MALX-R01 (with labels) MALX-LAB25 (front + rear) M1-144 RR-011 (L = 5m – W = 34 mm) 622 x TC30
---	--	--

SPOKES

FRONT LEFT L.301,5 FRONT RIGHT L.302,5 REAR L. 307 NIPPLES	MALX-01 MALX-02 MALX-03 50-EMF-015BRB	4 spokes + 4 nipples 4 spokes + 4 nipples 4 spokes + 4 nipples 50 pcs.
---	--	---

AFS

front: BOOST: HH15-110

rear: BOOST: HH12-148


METAL ALX

HUBS / MOZZI

AFS

front: BOOST: HH15-110

rear: BOOST: HH12-148



Complete FW body / Corpetti RL completi

R0-201 (HG 9/12) + RS-004 (5 pcs) – R0-127 (MICRO SPLINE 12) – R0-202 (XDR) + RS-004 (5 pcs) = XD

See exploded view pag. 112


METAL ALX (E-MTB LIGHT)

AFS

front: BOOST: HH15-110

rear: BOOST: HH12-148

RIMS & SPOKES / CERCHI E RAGGI

RIM		
	FRONT RIM REAR RIM LABELS VALVE 2WF-READY TAPE DIAMETER	MALX-F01 (with labels) MALX-R01 (with labels) MALX-LAB25 (front + rear) M1-144 RR-011 (L = 5m – W = 34 mm) 622 x TC30
SPOKES		
FRONT LEFT L.301,5 FRONT RIGHT L.302,5 REAR L. 307 NIPPLES	MALX-01 MALX-02 MALX-03 50-EMF-015BRB	4 spokes + 4 nipples 4 spokes + 4 nipples 4 spokes + 4 nipples 50 pcs.


METAL ALX (E-MTB LIGHT)

AFS


front: BOOST: HH15-110

rear: BOOST: HH12-148

HUBS / MOZZI



RN9-100 HUB KIT
2 x C
2 x D
2 x E
2 x F



RS-100 HUB KIT
2 x R1-005
2 x R1-006
2 x R1-008
2 x R1-007


Complete FW body / Corpetti RL completi

R0-201S + RS-004 (HG 9/12) – R0-124 (MICRO SPLINE 12) – R0-202S + RS-004 = XD

See exploded view pag. 112

RED METAL 5 / 500



RIMS & SPOKES / CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE 2WF-READY TAPE VALVE + ADAPTER DIAMETER	RM500-LAB23 (Red Metal 500 FRONT+REAR) - RM5-LAB23 (Red Metal 5 FRONT+REAR) 6,5 mm RR-011 (5m x 34mm) SP-2WFR 29" 2WF-Ready
SPOKES		
SPOKES L. 308 (front RH/rear LH) SPOKES L. 307 (front LH/rear RH) NIPPLES	RZ5-DS405 RZ5-DS403 50-R9EBM-BBDS	8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs.

AFS front: BOOST: HH15-110 rear: BOOST: HH12-148



RED METAL 5 / 500

HUBS / MOZZI



		
		
Complete FW body / Corpetti RL completi	R0-201 (HG 9/12) + RS-004 (5 pcs) – R0-127 (MICRO SPLINE 12) – R0-202 (XDR) + RS-004 (5 pcs) = XD	See exploded view pag. 112

AFS front: BOOST: HH15-110 rear: BOOST: HH12-148


FW BODIES




FW BODIES



FW BODIES




R0-127
(MICRO SPLINE 12
Ø33 mm ALU)



R0-127R
(MICRO SPLINE 12
Ø33 mm ALU & STEEL)

2WF-READY CONVERSION KIT


WHEEL MODEL (rim width in mm)	RIM			CONVERSION KIT	
	Diameter (inch)	Width of rim A (mm)		Ring (L x W)	Adhesive tape (W)
Red Zone 5/500/7/700 29" (23c)	29	21-25		KIT-2WF292125 (1650 x 30 mm)	RR-007 (28 mm)
E-Metal 3/300/5/500/7/700 29" (30c), Red Metal 5 29" (27c)	29	26-30		KIT-2WF292630 (1650 x 35 mm)	
Red Zone 5/500/7/700 27,5" (23c)	27,5	21-25		KIT-2WF272125 (1550 x 30 mm)	RR-007 (28 mm)
Red Fire 5/500 (27c), E-Metal 3/300/5/500/7/700 27,5" (30c)	27,5	26-30		KIT-2WF272630 (1550 x 35 mm)	
E-Fire 3/5/7 (35c)	27,5	31-35		KIT-2WF273135 (1550 x 40 mm)	
Red Fire 5/500 (27c)	27,5	27		KIT-2WF272630 (1550 x 35 mm)	RR-009 (31 mm)
E-Metal 3/300/5/500/7/700 27,5" (30c) Metal ALX (TC30)	27,5	30		KIT-2WF272630 (1550 x 35 mm)	RR-011 (34mm)

Attenzione: codici anelli disponibili solo nel Listino ruote / Note: ring codes available in the Price list wheels only

E- METAL 3/300 29

6 Bolts &AFS HG - XD front: BOOST: HH15-110 rear: BOOST: HH12-148


RIMS & SPOKES / CERCHI E RAGGI


RIM		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EM329-F20 (with labels) EM329-R20 (with labels) EM30029-LAB19 (E-METAL 300 FRONT + REAR) - EM329-LAB19 (E-METAL 3 FRONT + REAR) 6,5 mm 2-WH-RT2930 (32,5 mm - 2 pcs) see pag. 115 29 2WF-Ready
SPOKES		
SPOKES L.302,5 mm (front) SPOKES L.307 mm (rear) NIPPLES TOOL	EM3-001 EM3-002 50-EMF-015ALB T-18	8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs. spoke spanner

E- METAL 3/300 29

6 Bolts &AFS HG - XD front: BOOST: HH15-110 rear: BOOST: HH12-148

HUBS / MOZZI





XD FW body / Corpetto RL XD

RN9-023S (FW body) + RM17-TA12148 (adapter)

HG FW body only / Corpetto RL HG

B (not coded) = RN9-005 + A

E- METAL 3/300 29

6 Bolts &AFS


Micro Spline

front: BOOST: HH15-110

rear: BOOST: HH12-148

RIMS & SPOKES / CERCHI E RAGGI

RIM

	FRONT RIM	EM329-F20 (with labels)
	REAR RIM	EM329-R20 (with labels)
	LABEL KIT	EM30029-LAB19 (E-METAL 300 FRONT + REAR) - EM329-LAB19 (E-METAL 3 FRONT + REAR)
	VALVE HOLE	6,5 mm
	RIM-TAPE	2-WH-RT2930 (32,5 mm - 2 pcs)
2WF-READY CONVERSION KIT:		see pag. 115
DIAMETER		29 2WF-Ready

SPOKES

SPOKES L.302,5 mm (front)	EM3-001	8 spokes + 8 nipples
SPOKES L.307 mm (rear)	EM3-002	8 spokes + 8 nipples
NIPPLES	50-EMF-015ALB	50 pcs.
TOOL	T-18	spoke spanner

E- METAL 3/300 29


6 Bolts &AFS

Micro Spline

front: BOOST: HH15-110

rear: BOOST: HH12-148


HUBS / MOZZI



E- METAL 5/500 29

6 Bolts &AFS HG - XD front: BOOST: HH15-110 rear: BOOST: HH12-148


RIMS & SPOKES / CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EM50029-LAB19 (E-METAL 500 FRONT + REAR) - EM529-LAB19 (E-METAL 5 FRONT + REAR) 6,5 mm 2-WH-RT2930 (32,5 mm - 2 pcs) see pag. 115 29 2WF-Ready
SPOKES		
SPOKES L.302,5 mm (front) SPOKES L.307 mm (rear) NIPPLES TOOL	EM5-001 EM5-002 50-EMF-015BRB T-18	8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs. spoke spanner

E- METAL 5/500 29

6 Bolts &AFS HG - XD front: BOOST: HH15-110 rear: BOOST: HH12-148

HUBS / MOZZI



XD FW body / Corpetto RL XD

RN9-023S (FW body) + RM17-TA12148 (adapter)


HG FW body only / Corpetto RL HG

B (not coded) = RN9-005 + A

E- METAL 5/500 29

6 Bolts & AFS Micro Spline front: BOOST: HH15-110 rear: BOOST: HH12-148


RIMS & SPOKES / CERCHI E RAGGI

RIM		
	LABEL KIT	EM50029-LAB19 (E-METAL 500 FRONT + REAR) - EM529-LAB19 (E-METAL 5 FRONT + REAR)
	VALVE HOLE	6,5 mm
	RIM-TAPE	2-WH-RT2930 (32,5 mm - 2 pcs)
	2WF-READY CONVERSION KIT:	see pag. 115
	DIAMETER	29 2WF-Ready
SPOKES		
SPOKES L.302,5 mm (front)	EM5-001	8 spokes + 8 nipples
SPOKES L.307 mm (rear)	EM5-002	8 spokes + 8 nipples
NIPPLES	50-EMF-015BRB	50 pcs.
TOOL	T-18	spoke spanner

E- METAL 5/500 29

6 Bolts & AFS Micro Spline front: BOOST: HH15-110 rear: BOOST: HH12-148

HUBS / MOZZI



E- METAL 700 29


6 Bolts & AFS

HG - XD

front: BOOST: HH15-110

rear: BOOST: HH12-148

RIMS & SPOKES / CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EM70029-LAB20 (E-METAL 700 FRONT + REAR) 6,5 mm 2-WH-RT2930 (32,5 mm - 2 pcs) see pag. 115 29 2WF-Ready
SPOKES		
SPOKES L.304,5 mm (front LH) SPOKES L.307 mm (front RH) SPOKES L.307 mm (rear LH) SPOKES L.304,5 mm (rear RH) NIPPLES	EM7-003 EM7-004 EM7-004 EM7-003 50-EMF-016BRB	8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs.

E- METAL 700 29

6 Bolts & AFS

HG - XD

front: BOOST: HH15-110

rear: BOOST: HH12-148

HUBS / MOZZI

RT-004 (4 pcs)

RP9-001

RP7-003

RT-004 (4 pcs)

RP9-001

RP9-019

RM17-TA12148

RP9-119

R0-002DB

RP9-002

RP9-004 (4 pcs.)

RP9-004 (4 pcs.)

RM0-034 (HG only)

RP9-022S (HG)

RM0-026

RMTB-001

RP9-009 (4 pcs.)

RN9-005

RM0-026

RMTB-001

RP9-009 (4 pcs.)

RM9-001 (5,5 mm)

RP7-115 (6B) - RP7-015 (AFS)

RM0-026

RMTB-001

RP9-009 (4 pcs.)

RN9-005

RM0-026

RMTB-001

RP9-009 (4 pcs.)

RM9-001 (5,5 mm)

RP7-115 (6B) - RP7-015 (AFS)

RM0-026

RMTB-001

RP9-009 (4 pcs.)

RN9-005

RM0-026

RMTB-001

RP9-009 (4 pcs.)

RM9-001 (5,5 mm)

XD FW body / Corpetto RL XD

RN9-023S (FW body) + RM17-TA12148 (adapter)

HG FW body only / Corpetto RL HG


B (not coded) = RN9-005 + A

E- METAL 700 29

6 Bolts &AFS Micro Spline front: BOOST: HH15-110 rear: BOOST: HH12-148

RIMS & SPOKES / CERCHI E RAGGI

RIM

	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EM70029-LAB20 (E-METAL 700 FRONT + REAR) 6,5 mm 2-WH-RT2930 (32,5 mm - 2 pcs) see pag. 115 29 2WF-Ready
---	--	---


SPOKES

SPOKES L.304,5 mm (front LH)	EM7-003	8 spokes + 8 nipples
SPOKES L.307 mm (front RH)	EM7-004	8 spokes + 8 nipples
SPOKES L.307 mm (rear LH)	EM7-004	8 spokes + 8 nipples
SPOKES L.304,5 mm (rear RH)	EM7-003	8 spokes + 8 nipples
NIPPLES	50-EMF-016BRB	50 pcs.

E- METAL 700 29

6 Bolts &AFS Micro Spline front: BOOST: HH15-110 rear: BOOST: HH12-148

HUBS / MOZZI



E- FIRE 5/500

6 Bolts &AFS


HG - XD

front: BOOST: HH15-110

rear: BOOST: HH12-148

RIMS & SPOKES / CERCHI E RAGGI

RIM

	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EF50027-LAB19 (E-FIRE 500 FRONT + REAR) - EF527-LAB19 (E-FIRE 5 FRONT + REAR) 6,5 mm 2-WH-RT2735 (37,5 mm - 2 pcs) see pag. 115 27,5 2WF-Ready
--	--	--

SPOKES

SPOKES L.282,5 mm (front LH)	EFM5-001	8 spokes + 8 nipples
SPOKES L.283,5 mm (front RH)	EFM5-002	8 spokes + 8 nipples
SPOKES L.287 mm (rear RH)	EFM5-004	8 spokes + 8 nipples
SPOKES L.289 mm (rear LH)	EFM5-003	8 spokes + 8 nipples
NIPPLES	50-EMF-015BRB	50 pcs.
TOOL	T-18	spoke spanner

E- FIRE 5/500


6 Bolts &AFS


HG - XD

front: BOOST: HH15-110

rear: BOOST: HH12-148

HUBS / MOZZI





XD FW body / Corpetto RL XD

RN9-023S (FW body) + RM17-TA12148 (adapter)



HG FW body only / Corpetto RL HG

B (not coded) = RN9-005 + A

E- FIRE 5/500

RIMS & SPOKES / CERCHI E RAGGI

RIM


 	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EF50027-LAB19 (E-FIRE 500 FRONT + REAR) - EF527-LAB19 (E-FIRE 5 FRONT + REAR) 6,5 mm 2-WH-RT2735 (37,5 mm - 2 pcs) see pag. 115 27,5 2WF-Ready
--	--	--

SPOKES

SPOKES L.282,5 mm (front LH)	EFM5-001	8 spokes + 8 nipples
SPOKES L.283,5 mm (front RH)	EFM5-002	8 spokes + 8 nipples
SPOKES L.287 mm (rear RH)	EFM5-004	8 spokes + 8 nipples
SPOKES L.289 mm (rear LH)	EFM5-003	8 spokes + 8 nipples
NIPPLES	50-EMF-015BRB	50 pcs.
TOOL	T-18	spoke spanner

E- FIRE 5/500

HUBS / MOZZI



E- FIRE 700 27.5


6 Bolts &AFS

HG - XD

front: BOOST: HH15-110

rear: BOOST: HH12-148

RIMS & SPOKES / CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EF70027-LAB20 (E-FIRE 700 FRONT + REAR) 6,5 mm 2-WH-RT2735 (37,5 mm - 2 pcs) see pag. 115 27,5 2WF-Ready
SPOKES		
SPOKES L.285,5 mm (front LH)	EM7-001	8 spokes + 8 nipples
SPOKES L.288 mm (front RH)	EM7-002	8 spokes + 8 nipples
SPOKES L.288 mm (rear RH)	EM7-002	8 spokes + 8 nipples
SPOKES L.285,5 mm (rear LH)	EM7-001	8 spokes + 8 nipples
NIPPLES	50-EMF-016BRB	50 pcs.

E- FIRE 700 27.5

6 Bolts &AFS

HG - XD

front: BOOST: HH15-110

rear: BOOST: HH12-148

HUBS / MOZZI

RT-004 (4 pcs)

RP9-001

RP7-003

RT-004 (4 pcs)

RP9-001

RP9-019

RM17-TA12148

RP9-119

R0-002DB

RP9-002

RP9-004 (4 pcs.)

RP9-004 (4 pcs.)

RM0-034 (HG only)

RP9-022S (HG)

RM0-026

RMTB-001

RP9-009 (4 pcs.)

RN9-005

RM0-026

RMTB-001

RP9-009 (4 pcs.)

RM9-001 (5,5 mm)

RP7-115 (6B) - RP7-015 (AFS)

RN9-023S (XD)

XD FW body / Corpetto RL XD

RN9-023S (FW body) + RM17-TA12148 (adapter)

HG FW body only / Corpetto RL HG

B (not coded) = RN9-005 + A

E- FIRE 700 27.5

6 Bolts & AFS


Micro Spline

front: BOOST: HH15-110

rear: BOOST: HH12-148

RIMS & SPOKES / CERCHI E RAGGI

RIM

	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EF70027-LAB20 (E-FIRE 700 FRONT + REAR) 6,5 mm 2-WH-RT2735 (37,5 mm - 2 pcs) see pag. 115 27,5 2WF-Ready
--	--	--

SPOKES

SPOKES L.285,5 mm (front LH)	EM7-001	8 spokes + 8 nipples
SPOKES L.288 mm (front RH)	EM7-002	8 spokes + 8 nipples
SPOKES L.288 mm (rear RH)	EM7-002	8 spokes + 8 nipples
SPOKES L.285,5 mm (rear LH)	EM7-001	8 spokes + 8 nipples
NIPPLES	50-EMF-016BRB	50 pcs.

E- FIRE 700 27.5


6 Bolts & AFS

Micro Spline


front: BOOST: HH15-110

rear: BOOST: HH12-148


HUBS / MOZZI




TOOLS & ACCESSORIES




T-05
Magnete guida-nipplo
Nipple guide magnet




T-18
Chiave tiraraggi per nipplo quadro in alluminio 3,9 mm
Spoke spanner for aluminum square nipple 3,9 mm




T-02
Anello anti-rotazione raggi
Spoke antirotation ring




T-24 RED CARBON / RED PASSION
Chiave tiraraggi
Spoke spanner



T-25 RED CARBON / RED PASSION / SPEED DB/RED ZONE / RED FIRE / E-METAL / E-FIRE / RACING 3/4/5 DB / RAPID RED CARBON/3/300/5/500
Chiave anti-rotazione raggi
Spoke antirotation tool




T-07
Chiave tiraraggi
Spoke spanner



T-09
Magnete velocità
SPD magnet


TOOLS & ACCESSORIES




T-03 RACING 1 / RACING ZERO (BEFORE MY2018) / RED METAL ZERO / RED CARBON / RED METAL 1 / RACING ZERO NITE / RACING ZERO COMPETIZIONE (BEFORE MY2018)
T-10 RED METAL 3 / 29 XLR / FIRE / ZONE XLR / RACING 3 / RACING QUATTRO
T-11 RED WIND XLR / RED WIND / RACING SPEED XLR / RACING SPEED / RED METAL XRP / RACING 3 DB / RACING 4 CARBON / RACING 4 CARBON DB / RACING 4 LG / SPEED / SPEED DB / WIND 40 / WIND DB / RAPID RED CARBON / RED ZONE CARBON / RED ZONE CARBON+, SHARQ, METAL CARBON

T-29 RACING ZERO (SINCE MY 2018), RACING ZERO COMPETIZIONE (SINCE MY 2018), RACING ZERO NITE (SINCE MY 2018), RACING ZERO DB, RACING ZERO CARBON, RACING ZERO CARBON DB

T-30 RACING 3 (SINCE MY 2018)
Inserto nipplo attira-magnete
Magnet-attracting nipple insert




T-28 (Service Center Only)
Chiave tiraraggi per nipplo quadro in alluminio 3,9 mm
Spoke spanner for aluminum square nipple 3,9 mm



WH-109HYC (6 pcs.)
Leva in composito per rimozione copertoncino
Composite lever for removing clinchers




UT-WHDB001
Chiave per perni esagonali
Tool for hexagonal axle



UT-WHDB002
Inserto metallico per perni esagonali
Metallic insert for hexagonal axle


TOOLS & ACCESSORIES



RS-031 (3 pcs)

Inserto a cremagliera - Road (d.30 mm)
Hub ratchet ring - Road (d.30 mm)


(SERVICE CENTER only)



RM0-031 (3 pcs)


Inserto a cremagliera - Mtb & Road (d.33 mm INCLUDE RACING 900/
RACING 900 DB 2020)
Hub ratchet ring - Mtb & Road (d.33 mm INCLUDED RACING 900/
RACING 900 DB 2020)

(SERVICE CENTER only)




T-22 (Service Center Only)

Attrezzo per smontaggio cremagliera - Road (d.30 mm)
Hub ratchet ring tool - Road (d.30 mm)



T-23 (Service Center Only)

Attrezzo per smontaggio cremagliera - Mtb & Road (d.33 mm
INCLUDE RACING 900/RACING 900 DB 2020)
Hub ratchet ring tool - Mtb & Road (d.33 mm INCLUDED RACING
900/RACING 900 DB 2020)



4-M1-101B black (4 pcs.)

Ghiera AFS™
AFS™ lockring

NOTES

HEADQUARTER

FULCRUM WHEELS S.R.L.

Via dell'Economia, 103
36100 Vicenza
Tel. +39 0444 289306
Fax +39 0444 962844

BRANCH OFFICES

FRANCE

FULCRUM FRANCE
9 rue du progrès
69800 Saint Priest
Tel. +33(0)4.78.67.37.21
infos@fulcrumwheels.fr

GERMANY


FULCRUM CENTRAL EUROPE GmbH
Alte Garten 62
51371 Leverkusen
Tel. +49 214 3119 7770
Fax. +49 214 3119 0313
info@fulcrum-ce.com

JAPAN

FULCRUM JAPAN
65 Yoshida-cho, Naka-ku
231-0041 Yokohama
Tel +81 45 264 2780
info@fulcrum-jp.com

TAIWAN

PRIMATEK Ltd.
No.4, Gongyequ 10th Rd.
Taichung City 407 - Xitun Dist.
Taiwan (R.O.C.)
Tel: +886 4 23506831
Fax: +886 4 23596764
info@primatek.biz



FULCRUM[®]

